



## Suspension Clamp, Length 10.5 in

Catalog ID: 05G8G1J

Suspension Clamp  
Clamping Range 0.88 in- 1.3 in  
suspending or hanging cables or conductors to the pole  
The clevis bolt and clevis pin are the same diameter



### PRODUCT DETAILS

#### General

Bolt Installation Torque (Recommended)	480 in-lbs
Fitting Type	Socket
Material – Clamp	Aluminum
Material – Hardware	Galvanized Steel
Material – Pin	Stainless Steel
Material – Pin (Cotter)	Stainless Steel
Material – Socket and Clevis	Galvanized Ductile Iron
Product Category	Suspension Clamp
Strength Rating – Ultimate Body	25000 lb (11339.81 kg)
Type	EHV/T2 Suspension Clamps
U-Bolts	1/2 in (12.7 mm)

#### Dimensions

Angle – Take-Off Maximum	17.5 °
Clamping – Maximum	1.3 in (33.02 mm)
Clamping – Minimum	0.88 in (22.35 mm)
Clevis Opening	3 in (76.2 mm)
Diameter – Clevis Pin	0.625 in (15.88 mm)
Height	3 in (76.2 mm)
Length	10.5 in (266.7 mm)
Weight	7.9 lb (3.58 kg)

#### Electrical Ratings

Voltage Application	EHV
---------------------	-----

### RESOURCES AND DOWNLOADS

---

Specifications	<a href="#">Download PDF</a>
Technical Drawings	<a href="#">Download PDF</a>

---

*For further technical assistance, please contact us*

**TTF Power Technology Co., Ltd.**

Office: Rm. 609-610 Tianjin Technology Financial Bldg., Tianjin, China, 300384

Landline: (+86) 22-8523-3528

Cell / WhatsApp: (+86) 155-1086-4645

Email: [sales@ttfpower.com](mailto:sales@ttfpower.com)

Website: <https://ttfpower.com>