



## **Horizontal Line Post Insulator Standoff Bracket**

## Catalog ID: 06K6A3G

Horizontal Line Post Insulator Standoff Bracket–line construction hardware It is designed to provide additional strength and support to other power line components and parts.

Bracket used in poleline installaion and construction

Made by heavy duty fiberglass

Distance from pole 11 in



## PRODUCT DETAILS

## Dimensions

Description – End Fitting	Post Insulator
Strength Rating – Minimum Ultimate, Longitudinal (L)	1950 lb (884.51 kg)
Strength Rating – Minimum Ultimate, Transverse (T)	2500 lb (1133.95 kg)
Strength Rating – Minimum Ultimate, Vertical (V)	2200 lb (997.9 kg)
Dimensions	
Diameter – Rod / Tube	2 in (50.8 mm)
Distance From Pole	11 in (279.4 mm)
Length	11 in (279.4 mm)
Mounting Bolt Spacing	8 in (203.2 mm)
	10 in (254 mm)
Weight	12.3 lb (5.58 kg)
Logistics	
Standard Package	1
RESOURCES AND DOWNLOADS	
Specifications	Download PDF
Technical Drawings	Download PDF

For further technical assistance, please contact us

Office: Rm. 609-610 Tianjin Technology Financial Bldg., Tianjin, China, 300384

Landline: (+86) 22-8523-3528

Cell / WhatsApp: (+86) 155-1086-4645

Email: sales@ttfpower.com Website: https://ttfpower.com