



Suspension Clamp with Clevis

Catalog ID: 05G6I60

The Suspension Clamp is a fitting that is designed for suspending or hanging cables or conductors to the telephone pole.

It mounts cables or conductors firmly on the tower and pole.

The suspension clamp is made of steel for its anti-corrosion nature when exposed to the air.



PRODUCT DETAILS

General

Bolt Installation Torque (Recommended)	720 in-lbs
Fitting Type	Clevis
Material – Clamp	Aluminum
Material – Hardware	Galvanized Steel
Material – Pin	Stainless Steel
Material – Pin (Cotter)	Stainless Steel
Material – Socket and Clevis	Galvanized Ductile Iron
Product Category	Suspension Clamp
Strength Rating – Ultimate Body	25000 lb (11339.81 kg)
Type	EHV Suspension Clamps
U-Bolts	5/8 in (15.88 mm)

Dimensions

Angle – Take-Off Maximum	17.5 °
Clamping – Maximum	2.13 in (54.1 mm)
Clamping – Minimum	1.8 in (45.72 mm)
Clevis Opening	2.3125 in (58.74 mm)
Diameter – Clevis Pin	0.625 in (15.88 mm)
Height	3.625 in (92.08 mm)
Length	11 in (279.4 mm)
Weight	8 lb (3.63 kg)

Electrical Ratings

Voltage Application	EHV
---------------------	-----

Conductor Related

Clamping Range	1.8- 2.13
----------------	-----------

RESOURCES AND DOWNLOADS

Specifications	Download PDF
Technical Drawings	Download PDF

For further technical assistance, please contact us

TTF Power Technology Co., Ltd.

Office: Rm. 609-610 Tianjin Technology Financial Bldg., Tianjin, China, 300384

Landline: (+86) 22-8523-3528

Cell / WhatsApp: (+86) 155-1086-4645

Email: sales@ttfpower.com

Website: <https://ttfpower.com>