



Vertical Line Post Insulator Bracket

Catalog ID: 06K1B1J

Vertical Line Post Insulator Bracket—line construction hardware
 It is designed to provide additional strength and support to other power line components and parts.
 Bracket used in pole line installation and construction.
 Made by heavy duty fiberglass.
 Distance from pole 10 in



PRODUCT DETAILS

General

Description – End Fitting	Post Insulator
Strength Rating – Minimum Ultimate, Longitudinal (L)	2000 lb (907.18 kg)
Strength Rating – Minimum Ultimate, Transverse (T)	2000 lb (907.18 kg)
Strength Rating – Minimum Ultimate, Vertical (V)	5000 lb (2267.96 kg)

Dimensions

Diameter – Rod / Tube	2 in (50.8 mm)
Distance From Pole	10 in (254 mm)
Length	10 in (254 mm)
Mounting Bolt Spacing	5 in (127 mm) 6 in (152.4 mm) 8 in (203.2 mm)
Weight	10.3 lb (4.67 kg)

Logistics

Standard Package	1
------------------	---

RESOURCES AND DOWNLOADS

Specifications	Download PDF
Technical Drawings	Download PDF

For further technical assistance, please contact us

TTF Power Technology Co., Ltd.

Office: Rm. 609-610 Tianjin Technology Financial Bldg., Tianjin, China, 300384

Landline: (+86) 22-8523-3528

Cell / WhatsApp: (+86) 155-1086-4645

Email: sales@ttfpower.com

Website: <https://ttfpower.com>